


BEST AVAILABLE COPY

BIOTECHNOLOGY
SYSTEMS
BRANCH



RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/821,638A
Source: 1 Fw
Date Processed by STIC: 11/26/04

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

~~TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER~~
~~VERSION 4.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND~~
~~TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:~~

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>


Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/efb/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. ~~Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):~~
U.S. Patent and Trademark Office, 220 20th Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202

Revised 05/17/04



BEST AVAILABLE COPY



IFWO

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/821,638A

DATE: 11/26/2004

TIME: 09:02:47

Input Set : A:\355491-1253.txt

Output Set: N:\CRF4\11262004\J821638A.raw

3 <110> APPLICANT: Roberts, Christopher D.

4 Keicher, Jesse

5 Dyatkina, Natalia B.

7 <120> TITLE OF INVENTION: NUCLEOSIDE DERIVATIVES FOR TREATING HEPATITIS C VIRUS

INFECTION

9 <130> FILE REFERENCE: 355491-1253

11 <140> CURRENT APPLICATION NUMBER: 10/821,638A

12 <141> CURRENT FILING DATE: 2004-04-08

14 <150> PRIOR APPLICATION NUMBER: 10/676,956

15 <151> PRIOR FILING DATE: 2003-09-30

E--> 17 <160> NUMBER OF SEQ ID NOS: 60/443,169

E--> 18 <161> 2003-01-29

20 <170> SOFTWARE: 60/415,222

E--> 21 <171> 2002-09-30


E--> 23 <180> 2

E--> 25 <190> PatentIn Ver. 3.2

Does Not Comply
Corrected Diskette Needed

see p. 2 for explanation

ERRORED SEQUENCES



SEQUENCE LISTING

BEST AVAILABLE COPY

<110> Roberts, Christopher D.
Keicher, Jesse
Dyatkina, Natalia B.

<120> NUCLEOSIDE DERIVATIVES FOR TREATING HEPATITIS C VIRUS INFECTION

<130> 355491-1253

<140> 10/821,638

<141> 2004-04-08

<150> 10/676,956

<151> 2003-09-30

<1507> <160> 60/443,169

<1517> <161> 2003-01-29

<1507> <170> 60/415,222

<1517> <171> 2002-09-30

<1607> <180> 2

<1907> <190> PatentIn Ver. 3.2?

FYI: PatentIn 3.2 does not insert

<1607> for prior application number

<1617> for prior filing date.


<1707> for prior application no.

<1717> for prior application filing date

<1807> for total number of sequences in file

<1907> for software used to create file

Please consult Sequence Rules for valid format



BEST AVAILABLE COPY

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/821,638A

DATE: 11/26/2004

TIME: 09:02:48

Input Set : A:\355491-1253.txt

Output Set: N:\CRF4\11262004\J821638A.raw

L:18 M:250 E: Invalid Numeric Identifier, INVALID IDENTIFIER
L:21 M:250 E: Invalid Numeric Identifier, INVALID IDENTIFIER
L:23 M:250 E: Invalid Numeric Identifier, INVALID IDENTIFIER
L:25 M:250 E: Invalid Numeric Identifier, INVALID IDENTIFIER
L:17 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (60) Counted (2)